## Johnstone, Jeremy

From: Will Osborn <wosborn@geothermalresourcegroup.com>

**Sent:** Friday, January 10, 2014 12:13 PM

To: Ron Quesada

**Cc:** Johnstone, Jeremy; Bodine, Diane C.; Cliff Townsend; Abel Costa

Subject:RE: PGV Requested DocumentsAttachments:Completed\_Work\_Orders\_09-13.pdf

Thanks Ron,

For the PM, we need the records showing the dates that each PM was completed over the requested period 2010-2013, as was demonstrated in the attached record for KS-10 you provided previously.

Thanks,

Will

Will Osborn Geothermal Resource Group Inc 75145 St Charles PI Ste B Palm Desert, CA 92211

cell

760.341.0186 office

From: Ron Quesada [mailto:rquesada@ORMAT.COM]

Sent: Friday, January 10, 2014 11:48 AM

To: Will Osborn

Cc: Johnstone, Jeremy; Bodine, Diane C.; Cliff Townsend; Abel Costa

Subject: RE: PGV Requested Documents

Will,

I have attached your requested documents. PGV was granted permission from EPA to postpone MIT's to KS-1A and KS-3 for 2012 due to scheduled hangdown liner replacements in 2013.

As for the DOH reports, what we receive from Thermochem is what we send to DOH.

Also, the preventative maintenance (pm) completion list shows the frequency of work, do you need more details?

**Thanks** 

Ronald P. Quesada

**Puna Geothermal Venture** 

**Operations Manager** 

Main: (808) 965-6233 Ext. 58248

Cell:

P.O. Box 30 Pahoa, HI. 96778 rquesada@ormat.com

" Please consider the environment - do you really need to print this email?"

## **Confidentiality Warning:**

The information contained in this e-mail is confidential and subject to certain laws pertaining to the protection of proprietary information. It is intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, or the authorized agent thereof, the reader is hereby notified that retention or any dissemination, distribution or copying of this transmission is strictly prohibited. If you have received this e-mail in error, please notify us immediately by reply e-mail or by telephone, and delete all copies of the original message.

Mahalo!

From: Will Osborn [mailto:wosborn@geothermalresourcegroup.com]

Sent: Thursday, January 09, 2014 3:08 PM

To: Ron Quesada

Cc: Johnstone, Jeremy; Bodine, Diane C.; Cliff Townsend

**Subject:** RE: PGV Requested Documents

Ron,

Thanks for sending the 2013 reports. We would appreciate if you would also send the same reports (Condition 20 chemistry, emergency generator PM, and mechanical integrity tests for injection wells) for 2010, 2011 and 2012. For the emergency generator, we might need the detailed PM reports to show work frequency. Please also send the Condition 20 report that is submitted to DOH with the chemistry data.

Thanks,

Will

Will Osborn Geothermal Resource Group Inc 75145 St Charles PI Ste B Palm Desert, CA 92211

760.341.0186 office

From: Ron Quesada [mailto:rquesada@ORMAT.COM]

Sent: Wednesday, January 08, 2014 3:16 PM

To: Will Osborn

Cc: Johnstone, Jeremy; Bodine, Diane C.; Cliff Townsend

**Subject: PGV Requested Documents** 

Will,

I have attached all your requested documents. Please let me know if you have any further request.

Thank you

## Ronald P. Quesada Puna Geothermal Venture

**Operations Manager** 

Main: (808) 965-6233 Ext. 58248

Cell:

P.O. Box 30 Pahoa, HI. 96778

rquesada@ormat.com

## **Confidentiality Warning:**

The information contained in this e-mail is confidential and subject to certain laws pertaining to the protection of proprietary information. It is intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, or the authorized agent thereof, the reader is hereby notified that retention or any dissemination, distribution or copying of this transmission is strictly prohibited. If you have received this e-mail in error, please notify us immediately by reply e-mail or by telephone, and delete all copies of the original message.

Mahalo!

<sup>&</sup>quot; Please consider the environment - do you really need to print this email?"